Index to Volume XXVI

Author Index

ANDREWS, JAMES E., and CHARLES BAINBRIDGE:
Submarine canyons off eastern Oahu, 108–113

BAILEY-BROCK, JULIE H.:
Deepwater tube worms (Polychaeta, Serpulidae) from the Hawaiian Islands, 405–408
see also Vine, Bailey-Brock, and Straughan

BAINBRIDGE, CHARLES:
see Andrews and Bainbridge

BAKER, GLADYS E., and JOSEPH A. MEEKER:
Ecosystems, mycologists, and the geographical distribution of fungi in the central Pacific, 418–432
see also Lee and Baker

BALDWIN, WAYNE J.:
A new genus and new species of Hawaiian gobiid fish, 125–128

BALL, ELDON E., JR., and JANET HAIG:
Hermit crabs from eastern New Guinea, 87–107

BANSE, KARL:
On some species of Phyllodocidae, Syllidae, Nephtyidae, Goniadidae, Apistobranchidae, and Spionidae (Polychaeta) from the northeast Pacific Ocean, 191–222

BRILL, RICHARD C.:
see Langford and Brill

BRUCE, A. J.:
A report on a small collection of pontoniid shrimps from Fiji, with the description of a new species of *Coralliocaris* Stimpson (Crustacea, Decapoda, Natantia, Pontoniinae), 63–86

CLARKE, THOMAS A.:
Collections and submarine observations of deep benthic fishes and decapod Crustacea in Hawaii, 310–317

DANA, THOMAS F., WILLIAM A. NEWMAN, and EDWARD W. FAGER:
Acanthaster aggregations: interpreted as primarily responses to natural phenomena, 355–372

DENNIS, MICHAEL N.:
see Tamarin, Malecha, Steiner, and Dennis

FAGER, EDWARD W.:
see Dana, Newman and Fager

GILLETT, GEORGE W.:
Additional experimental crosses in Hawaiian *Bidens* (Asteraceae), 415–417

HAIG, JANET:
see Ball and Haig

HEYLIGERS, P. C.:
Analysis of the plant geography of the semideciduous scrub and forest and the eucalypt savannah near Port Moresby, 229–241

HUMES, ARTHUR G.:
Pseudanthessius comanthi n. sp. (Copepoda, Cyclopoida) associated with a crinoid at Eniwetok Atoll, 373–380

KENDALL, JAMES I.:
see Tester, Kendall, and Milisen

KRAFT, G. T.:
Preliminary studies of Philippine *Eucheuma* species. Part 1, Taxonomy and ecology of *Eucheuma arnoldii* Weber-van Bosse, 318–334

KRISHNAMURTHY, V.:
A revision of the species of the algal genus *Porphyra* occurring on the Pacific coast of North America, 24–49

LANGFORD, STEPHEN A., and RICHARD C. BRILL:
Giant submarine landslides on the Hawaiian Ridge: a rebuttal, 254–258

LARSON, HELEN K.:
see Tsuda, Larson, and Lujan

LAWRENCE, JOHN M.:
Carbohydrate and lipid levels in the intestine of *Holothuria atra* (Echinodermata, Holothuroidea), 114–116

LEE, BENNY K. H., and GLADYS E. BAKER:
An ecological study of the soil microfungi in a Hawaiian mangrove swamp, 1–10
Environment and the distribution of microfungi in a Hawaiian mangrove swamp, 11–19

LOSEY, GEORGE S.:
Predation protection in the poison-fang blenny, *Meiacanthus atrodorsalis*, and its mimics, *Ecsenius bicolor* and *Runula laudandus* (Blenniidae), 129–139

LUJAN, RUFO J.:
see Tsuda, Larson, and Lujan

MALECHA, SPENCER R.:
see Tamarin, Malecha, Steiner, and Dennis

MATSUURA, D. T.:
see Ohata, Matsuura, Whittow, and Tinker

MEEKER, JOSEPH A.:
see Baker and Meeker

MEHLEN, RONAL H.:
Eutardigrada: distribution at Eniwetok Atoll, Marshall Islands, 223–225

MILISEN, WILLIAM B.:
see Tester, Kendall, and Milisen

NEWMAN, WILLIAM A.:
see Dana, Newman, and Fager

OHATA, C. A., D. T. MATSUURA, G. C. WHITTOW, and S. W. TINKER:
Diurnal rhythm of body temperature in the Hawaiian monk seal (*Monachus schauinslandi*), 117–120

PAIN, C. F.:
Some soils and surficial deposits in the Kokoda Valley, Papua and New Guinea, 335–345

PANKIWSKYI, KOST A.:
Geology of the Salt Lake area, Oahu, Hawaii, 242–253

ROBERTS, P. E.:
The plankton of Perseverance Harbour, Campbell Island, New Zealand, 296–309

RUDMAN, W. B.:
A comparative study of the genus *Philinopsis* Pease, 1860 (Aglajidae, Opisthobranchia), 381–399
On *Melanochlamys* Cheeseman, 1881, a genus of the Aglajidae (Opisthobranchia, Gastropoda), 50–62

ST. JOHN, HAROLD:
Canavalia kauensis (Leguminosae), a new species from the island of Hawaii. Hawaiian Plant Studies 39, 409–414
Plantae Hobdyanae Kauaienses. Hawaiian Plant Studies 31, 275–295
Strongylodon secundus (Leguminosae), a Melanesian species. Pacific Plant Studies 22, 121–124

STEINER, WILLIAM W.:
see Tamarin, Malecha, Steiner, and Dennis

STRAUGHAN, DALE:
see Vine, Bailey-Brock, and Straughan

TAMARIN, ROBERT H., SPENCER R. MALECHA, WILLIAM W. STEINER, and MICHAEL N. DENNIS:
Genetic events in rat populations at Eniwetok Atoll, 226–228

TESTER, ALBERT L., JAMES I. KENDALL, and WILLIAM B. MILISEN:
Morphology of the ear of the shark genus *Carcharhinus*, with particular reference to the macula neglecta, 264–274

TINKER, S. W.:
see Ohata, Matsuura, Whittow, and Tinker

TSUDA, ROY T., HELEN K. LARSON, and RUFO J. LUJAN:
Algal growth on beaks of live parrotfishes, 20–23

VINE, PETER J.:
Spirorbinae (Polychaeta, Serpulidae) of the Hawaiian chain. Part 1, new species, 140–149
see also Vine, Bailey-Brock, and Straughan

VINE, PETER J., JULIE H. BAILEY-BROCK, and DALE STRAUGHAN:
Spirorbinae (Polychaeta, Serpulidae) of the Hawaiian chain. Part 2, Hawaiian spirorbinae, 150–182

WASMER, ROBERT A.:
New records for four deep-sea shrimps from the northeastern Pacific, 259–263

WELLS, JOHN W.:
Notes on Indo-Pacific scleractinian corals. Part 8, Scleractinian corals from Easter Island, 183–190

WENNER, ADRIAN M.:
Incremental color change in an anomuran decapod *Hippa pacifica* Dana, 346–353

WHITTOW, G. C.:
see Ohata, Matsuura, Whittow, and Tinker

WIRTZ, WILLIAM O., II:
Population ecology of the Polynesian rat, *Rattus exulans*, on Kure Atoll, Hawaii, 433–465

YOUNG, RICHARD EDWARD:
Brooding in a bathypelagic octopus, 400–404

Subject Index

Algae
growing on beaks of live parrotfishes, 20–23
revision of the species of *Porphyra* occurring on the Pacific coast of North America, 24–49
Antidesma crenatum sp. nov., 275–295
Bidens, additional experimental crosses in, 415–417
Bolitaena microcotyla, brooding in, 400–404
Brania brevipharyngea new species, 191–222

Canavalia kauensis sp. nov., 409–414
Carcharhinus, morphology of the ear of, 264–274
Comanthus bennetti, as host crinoid of *Pseudanthessius comanthi*, 373–380
Coralliocaris pavonae sp. nov., 63–86
Crabs, hermit, from eastern New Guinea, 87–107
Crown-of-thorns starfish, 355–372
Cyrtandra Hobdyi sp. nov., 275–295

Distribution
of Eutardigrada at Eniwetok Atoll, 223–225
of fungi in the central Pacific, 418–432

Easter Island, scleractinian corals from, 183–190
Ecsenius bicolor, as mimic of *Meiacanthus atrodorsalis*, 129–140
Eniwetok Atoll
distribution of Eutardigrada at, 223–225
genetic events in rat populations at, 226–228
Pseudanthessius comanthi associated with a crinoid at, 373–380
Eucheuma arnoldii, taxonomy and ecology of, 318–334
Euphorbia haeleeleana Herbst, 275–295
Exogone molesta new species, 191–222

Fiji, report on a small collection of pontoniid shrimps from, 63–86
Fungi
ecological study of soil microfungi in a Hawaiian mangrove swamp, 1–10
ecosystems, mycologists, and the geographical distribution of, in the central Pacific, 418–432
environment and distribution of microfungi in a Hawaiian mangrove swamp, 11–19

Hawaiian Islands
additional experimental crosses in *Bidens*, 415–417
brooding in a bathypelagic octopus, 400–404
Canavalia kauensis (Leguminosae), a new species from the island of Hawaii, 409–414
collections and submarine observations of deep benthic fishes and decapod Crustacea, 310–317
deepwater tube worms from, 405–408
diurnal rhythm of body temperature in the Hawaiian monk seal (*Monachus schauinslandi*), 117–120
ecological study of soil microfungi in a mangrove swamp, 1–10
environment and distribution of microfungi in a mangrove swamp, 11–19
geology of the Salt Lake area, Oahu, 242–253
giant submarine landslides on the Hawaiian Ridge: a rebuttal, 254–258
incremental color change in an anomuran decapod, *Hippa pacifica* Dana, 346–353
new genus and new species of gobiid fish from, 125–128
new species of plants from Kauai, 275–295
new species of Spirorbinae from, 140–149
population ecology of the Polynesian rat, *Rattus exulans*, on Kure Atoll, 433–465
Spirorbinae of, 150–182
submarine canyons off eastern Oahu, 108–113
Hawaiian monk seal, diurnal rhythm of body temperature in, 117–120
Hawaiian Plant Studies
31. Plantae Hobdyanae Kauaienses, 275–295
39. *Canavalia kauensis* (Leguminosae), a new species from the island of Hawaii, 409–414
Hawaiian Ridge, giant submarine landslides on, 254–258
Hibiscus Roeatae sp. nov., 275–295
Hippa pacifica, incremental color change in, 346–353
Holothuria atra, carbohydrate and lipid levels in the intestine of, 114–116

Janua (*Dexiospira*) *turrita* n. sp., 140–149

Key
to the species of *Porphyra* occurring on the Pacific coast of North America, 27–28
to species of Spirorbinae observed in the Hawaiian chain, 150–151

Leptoseris paschalensis n. sp., 183–190
Lipochaeta deltoidea sp. nov., 275–295
Lipochaeta waimeaensis sp. nov., 275–295

Meiacanthus atrodorsalis, predation protection in, 129–139
Melanochlamys Cheeseman, discussion of, 50–62
Monachus schauinslandi, diurnal rhythm of body temperature in, 117–120

New genera
Psilogobius (Gobiidae), 125–128
New Guinea
analysis of the plant geography of, near Port Moresby, 229–241
hermit crabs from eastern, 87–107
some soils and surficial deposits in the Kokoda Valley, 334–345
New species
Antidesma crenatum (Euphorbiaceae), 275–295
Brania brevipharyngea (Syllidae), 191–222
Canavalia kauensis (Leguminosae), 409–414
Coralliocaris pavonae (Pontoniinae), 63–86
Cyrtandra Hobdyi (Gesneriaceae), 275–295
Exogone molesta (Syllidae), 191–222
Hibiscus Roeatae (Malvaceae), 275–295
Janua (*Dexiospira*) *turrita* (Spirorbinae), 140–149
Leptoseris paschalensis (Agariciidae), 183–190
Lipochaeta deltoidea (Compositae), 275–295
Lipochaeta waimeaensis (Compositae), 275–295
Pelea glabra (Rutaceae), 275–295
Pileolaria (*Duplicaria*) *dalestraughani* (Spirorbinae), 140–149
Pileolaria (*Pileolaria*) *semimilitaris* (Spirorbinae), 140–149
Pseudanthessius comanthi (Lichomolgidae), 373–380
Psilogobius mainlandi (Gobiidae), 125–128
Sapindus Lonomea (Sapindaceae), 275–295
Schiedea membranacea (Caryophyllaceae), 275–295
Strongylodon secundus (Leguminosae), 121–124
New Zealand, plankton of Perseverance Harbour, Campbell Island, 296–309

Notes on Indo-Pacific Scleractinian Corals
8. Scleractinian corals from Easter Island, 183–190

Octopus, bathypelagic, brooding in, 400–404

Pacific Plant Studies
22. *Strongylodon secundus* (Leguminosae), a Melanesian species, 121–124
Parrotfishes, algal growth on beaks of live, 20–23
Pelea glabra sp. nov., 275–295
Perseverance Harbour, plankton of, 296–309
Philinopsis Pease, a comparative study of the genus of, 381–399
Pileolaria (*Duplicaria*) *dalestraughani* n. sp., 140–149
Pileolaria (*Pileolaria*) *semimilitaris* n. sp., 140–149
Plant geography near Port Moresby, analysis of, 229–241
Poison-fang blenny, predation protection in, 129–139
Polychaeta
deepwater tube worms from the Hawaiian Islands, 405–408
Hawaiian Spirorbinae, 150–182
new species of Spirorbinae of the Hawaiian chain, 140–149
some species of, from the northeast Pacific Ocean, 191–222
Polynesian rat, population ecology of, on Kure Atoll, 433–465
Porphyra occurring on the Pacific coast of North America, revision of the species of, 24–49
Preliminary Studies of Philippine *Eucheuma* Species
1. Taxonomy and ecology of *Eucheuma arnoldii* Weber-van Bosse, 318–334
Pseudanthessius comanthi n. sp., 373–380
Psilogobius mainlandi new genus and species, 125–128

Rat populations, genetic events in, at Eniwetok Atoll, 226–228
Rattus exulans, population ecology of, on Kure Atoll, 433–465
Runula laudandus, as mimic of *Meiacanthus atrodorsalis*, 129–140

Sapindus Lonomea sp. nov., 275–295
Schiedea membranacea sp. nov., 275–295
Shrimps
new records for four species from the northeastern Pacific, 259–263
pontoniid, from Fiji, 63–86
Soil microfungi, ecological study of, in a Hawaiian mangrove swamp, 1–10
Soils and surficial deposits in Kokoda Valley, Papua and New Guinea, 334–345
Spirorbinae (Polychaeta, Serpulidae) of the Hawaiian chain
1. New species, 150–182
2. Hawaiian spirorbinae, 150–182
Strongylodon secundus sp. nov., 121–124